

Rosko

JULIEN

WASHING

CATALOG

QUALITY ACCESSIBLE TO ALL

DISCOVER
ROSKO **03**

THE ROSKO
DIFFERENCE **04**

THE ROSKO
OFFER **06**

SINKS **08** RO-SS
RO-ST
RO-SD
RO-WMHS

DISH TABLES **18** RO-SDT
RO-CDT

HAND WASH
STATIONS **24** RO-HS24

INDEX **28**

WARRANTY **30**

DISCOVER ROSKO

Over the past 75 years, Julien has become an expert in professional kitchen equipment manufacturing and stainless-steel processing. However, beyond this manufacturing expertise, we at Julien have a true passion for restaurant equipment. It is with great enthusiasm that we begin this new chapter by introducing our latest brand dedicated to the professional kitchen: Rosko.

With quality, accessibility, and durability guaranteed, the Rosko product line is designed to provide you with a turnkey solution for your kitchen. Our range of stainless-steel cooking, washing, and furniture equipment is sure to meet your workstation needs.

We are proud to say that all our cooking equipment is made in our own factory located in the heart of Quebec City. From technical assistance to after sales service, every product is backed by the expertise and support of the entire Julien team.





THE ROSKO DIFFERENCE



THE STRENGTH OF OUR HERITAGE

The new food service equipment brand Rosko is born from Julien's expertise and passion. Based in Quebec City, Julien has specialized in designing and building professional kitchen equipment for more than 75 years. Today, Rosko aims to become your true food service equipment partner.



INHERENT QUALITY

Through the years, Julien has become master in the transformation of stainless steel. This is why all Rosko products are designed and fabricated in this durable material, perfectly adapted for the kitchen environment. All Rosko equipment is thoroughly factory tested to ensure safety, performance and long lasting lifespan.



A LOCAL SOLUTION

Meet all your cooking, washing and furniture equipment needs with a trusted and proudly Canadian brand. Moreover, all cooking equipment are designed, fabricated and tested in our facility.

WASHING



Stainless steel washing products are essential to comply with wet environments and the restaurant's numerous hygiene rules. You must also think about what sinks, and dish tables will ideally suit your commercial kitchen's layout, all the while being functional and easy to maintain. They will quickly become indispensable to your daily life. All our washing solutions are also certified by NSF and CSA.

COOKING



The smooth operation of your commercial kitchen is greatly dependent on your facilities. That's why it's essential to have quality cooking equipment from Rosko. Our line of products includes fryers, griddles, grills, ranges, stoves and steamers. The various floors and countertop appliances are designed for gas or electric cooking. All equipments are made of stainless steel and are thoroughly tested directly from the assembly line. Manufactured in our Quebec City plant in Canada, Rosko products are reliable, durable, but mostly, accessible.

FURNITURE



Optimize your kitchen features with the addition of worktables, pan racks, equipment racks, shelves and wall shelves. Stainless steel is the ideal material for commercial kitchen furniture because it is resistant and easy to clean. Also, our different products offer a wide range of sizes to fit your space needs. The entire Rosko furniture collection is certified to NSF/ANSI 2 standards, as the restaurant industry requires.



SINKS

Choosing the right sink for commercial use is more complex than one might think. One of the challenges is finding the right sink for the configuration of our facilities. That is why offer a variety of single, double, and triple-bowl sinks, with or without a drainboard. For a more durable decision, choose the proven construction of Rosko sinks.

- Entirely made of grade 304 stainless steel;
- Rolled bowl edges for efficient cleaning;
- Corner drain and overflow included.

RO-SS-1818
RO-SS-2424
RO-SS-2424-L24
RO-SS-2424-R24

RO-SD-1818
RO-SD-1818-L18
RO-SD-1818-R18
RO-SD-1818-LR18
RO-SD-2424
RO-SD-2424-L24
RO-SD-2424-R24
RO-SD-2424-LR24

RO-ST-2424
RO-ST-2424-L24
RO-ST-2424-R24
RO-ST-2424-LR24

RO-WMHS-1410



RO-SS

SINGLE-BOWL SINK



RO-SS-2424

FEATURES

- Made of grade 304 stainless steel - 18 gauge
- Rolled edgess
- 1 1/2" (38 mm) corner drain with overflow included
- Three (3) leg braces included
- Stainless steel legs
- Adjustable stainless steel feet
- Drainboard available on the model with 24" (610 mm) bowl
- Quick and easy to assemble
- Certified to ASME A112.19.3-2008/CSA B45.4-08 and NSF/ANSI 2 standards



MODELS

MODELS	Total width (W)	Total depth (D)	Total height
RO-SS-1818	23" - 584 mm	23 1/2" - 597 mm	43 3/4" - 1111 mm
RO-SS-2424	29" - 737 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm
RO-SS-2424-L24	50 1/2" - 1283 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm
RO-SS-2424-R24	50 1/2" - 1283 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm

MODELS

MODELS	Bowl dimensions	Drainboard
RO-SS-1818	18 x 18 x 13" 457 x 457 x 330 mm	N/A
RO-SS-2424	24 x 24 x 14" 610 x 610 x 356 mm	N/A
RO-SS-2424-L24	24 x 24 x 14" 610 x 610 x 356 mm	Left
RO-SS-2424-R24	24 x 24 x 14" 610 x 610 x 356 mm	Right

RO-SD DOUBLE-BOWL SINK



RO-SD-2424

FEATURES

- Made of grade 304 stainless steel - 18 gauge
- Rolled edges
- 1 1/2" (38 mm) corner drain with overflow included
- Three (3) leg braces included
- Stainless steel legs
- Adjustable stainless steel feet
- Quick and easy to assemble
- Certified to ASME A112.19.3-2008/CSA B45.4-08 and NSF/ANSI 2 standards



MODELS

MODELS	Total width (W)	Total depth (D)	Total height
RO-SD-1818	41" - 1041 mm	23 1/2" - 597 mm	43 3/4" - 1111 mm
RO-SD-1818-L18	56 1/2" - 1435 mm	23 1/2" - 597 mm	43 3/4" - 1111 mm
RO-SD-1818-R18	56 1/2" - 1435 mm	23 1/2" - 597 mm	43 3/4" - 1111 mm
RO-SD-1818-LR18	72" - 1829 mm	23 1/2" - 597 mm	43 3/4" - 1111 mm
RO-SD-2424	53" - 1346 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm
RO-SD-2424-L24	74 1/2" - 1892 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm
RO-SD-2424-R24	74 1/2" - 1892 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm
RO-SD-2424-LR24	96" - 2438 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm

MODELS

MODELS	Bowl dimensions	Drainboard	Drainboard width
RO-SD-1818	18 x 18 x 11" 457 x 457 x 279 mm	N/A	N/A
RO-SD-1818-L18	18 x 18 x 11" 457 x 457 x 279 mm	Left	18" - 457 mm
RO-SD-1818-R18	18 x 18 x 11" 457 x 457 x 279 mm	Right	18" - 457 mm
RO-SD-1818-LR18	18 x 18 x 14" 457 x 457 x 356 mm	Left and Right	18" - 457 mm
RO-SD-2424	24 x 24 x 14" 610 x 610 x 356 mm	N/A	N/A
RO-SD-2424-L24	24 x 24 x 14" 610 x 610 x 356 mm	Left	24" - 610 mm
RO-SD-2424-R24	24 x 24 x 14" 610 x 610 x 356 mm	Right	24" - 610 mm
RO-SD-2424-LR24	24 x 24 x 14" 610 x 610 x 356 mm	Left and Right	24" - 610 mm

RO-ST TRIPLE-BOWL SINK



RO-ST-2424

FEATURES

- Made of grade 304 stainless steel - 18 gauge
- Rolled edges
- 1 1/2" (38 mm) corner drain with overflow included
- Three (3) leg braces included
- Stainless steel legs
- Adjustable stainless steel feet
- Quick and easy to assemble
- Certified to ASME A112.19.3-2008/CSA B45.4-08 and NSF/ANSI 2 standards



MODELS

MODELS	Total width (W)	Total depth (D)	Total height
RO-ST-2424	77" - 1956 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm
RO-ST-2424-L24	98 1/2" - 2502 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm
RO-ST-2424-R24	98 1/2" - 2502 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm
RO-ST-2424-LR24	120" - 3048 mm	29 1/2" - 749 mm	43 3/4" - 1111 mm

MODELS

MODELS	Bowl dimensions	Drainboard	Drainboard width
RO-ST-2424	24 x 24 x 14" 610 x 610 x 356 mm	N/A	N/A
RO-ST-2424-L24	24 x 24 x 14" 610 x 610 x 356 mm	Gauche	24" - 610 mm
RO-ST-2424-R24	24 x 24 x 14" 610 x 610 x 356 mm	Droite	24" - 610 mm
RO-ST-2424-LR24	24 x 24 x 14" 610 x 610 x 356 mm	Gauche et droite	24" - 610 mm

RO-WMHS

WALL MOUNTED HAND SINK



RO-WMHS-1410

MODELS

Width (W) Depth (D) Total height

RO-WMHS	17" – 432 mm	15 3/8" – 391 mm	13 1/2" – 343 mm
---------	--------------	------------------	------------------

FEATURES



- Made of grade 304 stainless steel
- Welded bowl
- 1 1/2" (38 mm) central basket drain included
- Faucet included
- Wall mounts included
- One (1) year limited warranty on parts and labor
- Certified to ASME A112.19.3-2008/CSA B45.4-08 and NSF/ANSI 2 standards



Rosko

DISH TABLES

Designed to accommodate freshly washed dishes and utensils, the tables can be installed on either side of the dishwasher. Their rolled edges and adjustable feet nicely complement this dish washing furniture, making it very useful and versatile. Unlike clean dish tables, soiled dish ones have an integrated sink and drain to collect solid substances. These tables are rust resistant, solid and will nicely complete kitchens of all sizes.

- Entirely made of grade 304 stainless steel;
- Stainless steel feet, legs and leg braces;
- Available for left or right orientation.

RO-SDT-3630-L
RO-SDT-3630-R
RO-SDT-4830-L
RO-SDT-4830-R

RO-CDT-3630-L
RO-CDT-3630-R
RO-CDT-4830-L
RO-CDT-4830-R
RO-CDT-7230-L
RO-CDT-7230-R



RO-SDT

SOILED DISH TABLE



RO-SDT-4830-L

FEATURES

- Made of grade 304 stainless steel – 18 gauge
- 20" (508 mm) x 20" (508 mm) x 5" (127 mm) integrated sink
- 3 1/2" (89 mm) central drain
- Rolled edges
- Adjustable leg braces included
- Stainless steel legs
- Adjustable stainless steel feet
- Left or right orientations are available
- Quick and easy to assemble
- Certified to ASME A112.19.3-2008/CSA B45.4-08 and NSF/ANSI 2 standards



MODELS

MODELS	Width (W)	Depth (D)	Total height	Orientation
RO-SDT-3630-L	36" – 914 mm	30" – 762 mm	43 3/4" – 1111 mm	Left
RO-SDT-3630-R	36" – 914 mm	30" – 762 mm	43 3/4" – 1111 mm	Right
RO-SDT-4830-L	48" – 1219 mm	30" – 762 mm	43 3/4" – 1111 mm	Left
RO-SDT-4830-R	48" – 1219 mm	30" – 762 mm	43 3/4" – 1111 mm	Right

ACCESSORIES



RO-ACC-SDT-BASKET
Perforated Basket 20" X 20"
for Soiled Dish Table,
Stainless steel

RO-CDT

CLEAN DISH TABLE



RO-CDT-4830-L

MODELS

MODELS	Width (W)	Depth (D)	Total height	Orientation
RO-CDT-3630-L	36" – 914 mm	30" – 762 mm	43 3/4" – 1111 mm	Left
RO-CDT-3630-R	36" – 914 mm	30" – 762 mm	43 3/4" – 1111 mm	Right
RO-CDT-4830-L	48" – 1219 mm	30" – 762 mm	43 3/4" – 1111 mm	Left
RO-CDT-4830-R	48" – 1219 mm	30" – 762 mm	43 3/4" – 1111 mm	Right
RO-CDT-7230-L	72" – 1829 mm	30" – 762 mm	43 3/4" – 1111 mm	Left
RO-CDT-7230-R	72" – 1829 mm	30" – 762 mm	43 3/4" – 1111 mm	Right

FEATURES



- Made of grade 304 stainless steel – 18 gauge
- Rolled edges
- Leg brace included
- Stainless steel legs
- Adjustable stainless steel feet
- Left or right orientations are available
- Quick and easy to assemble
- Certified to NSF/ANSI 2 standards

HAND WASH STATIONS



There is no need to reiterate the importance of hygiene in the restaurant industry, both for the kitchen staff and the customers. Portable sink stations are the ideal solution for effective hand washing, no matter where you are. These stainless steel sinks are incredibly solid and durable. Installed autonomously or connected to the water system, our models are equipped with sturdy wheels for easy movement. The hot water option is also available to meet all possible user needs.

- Entirely made of grade 304 stainless steel;
- Integrated sink with central drain;
- Faucet included.

RO-HS24-C-CW-MET
RO-HS24-C-HW-MET
RO-HS24-C-CW-AUTO
RO-HS24-C-HW-AUTO
RO-HS24-A-CW-MET
RO-HS24-A-HW-MET
RO-HS24-A-CW-AUTO
RO-HS24-A-HW-AUTO



RO-HS24

PORTABLE HAND WASH STATION



RO-HS24-C-CW-AUTO

FEATURES

- Entirely made of grade 304 stainless steel - 18 gauge
- All models are fully assembled and ready to use
- Integrated sink 15 x 15 x 5" (381 x 381 x 127 mm)
- 1 1/2" (38 mm) NPT centered drain
- Closed base with door, handle and keyed cam lock
- 4" (102 mm) swivel casters with front lock
- Connected or autonomous versions available: autonomous versions include a water pump and two (2) tanks
- Cold water or hot water use versions available: hot water use versions include a water heater
- Available with push metering or automatic sensor faucet
- 120 V electric power supply, 10' electrical cord included (for autonomous and/or hot water use models)

MODELS

ALL MODELS

Overall dimensions
(W x D x H)

Sink height

24 1/8 x 25 5/8 x 46 3/8"
613 x 651 x 1178 mm

36 1/8" - 918 mm

MODELS

MODELS	Series	Water temperature	Faucet type	Hand wash capacity	Water supply	Water discharge	Electrical supply
RO-HS24-C-CW-MET	Connected	Cold	Metering valve	Unlimited	City water 1/2" flex hose 30" long	Sewer 3/4" MHT hose 60" long	N/A
RO-HS24-C-CW-AUTO	Connected	Cold	Automatic	Unlimited	City water 1/2" flex hose 30" long	Sewer 3/4" MHT hose 60" long	N/A
RO-HS24-C-HW-MET	Connected	Hot	Metering valve	Unlimited	City water 1/2" flex hose 30" long	Sewer 3/4" MHT hose 60" long	120 V, 20 Amp
RO-HS24-C-HW-AUTO	Connected	Hot	Automatic	Unlimited	City water 1/2" flex hose 30" long	Sewer 3/4" MHT hose 60" long	120 V, 20 Amp
RO-HS24-A-CW-MET	Autonomous	Cold	Metering valve	75 (appro.)	5 gal - 18 L tank	7 gal - 26 L tank	120 V, 20 Amp
RO-HS24-A-CW-AUTO	Autonomous	Cold	Automatic	75 (appro.)	5 gal - 18 L tank	7 gal - 26 L tank	120 V, 20 Amp
RO-HS24-A-HW-MET	Autonomous	Hot	Metering valve	75 (appro.)	5 gal - 18 L tank	7 gal - 26 L tank	120 V, 20 Amp
RO-HS24-A-HW-AUTO	Autonomous	Hot	Automatic	75 (appro.)	5 gal - 18 L tank	7 gal - 26 L tank	120 V, 20 Amp

ACCESSORIES



RO-ACC-HS24-TD
Paper Towel Dispenser
for Hand Wash Station



RO-ACC-HS24-SD
Automatic Soap Dispenser
with Support for Hand Wash
Station

INDEX

MODELS	DESCRIPTION	PACKAGING WEIGHT	PACKAGING DIMENSIONS (W x D x H)
RO-SS-1818	Single-Bowl Sink, 18" X 18", Stainless Steel	40 lb - 18 kg	26 x 30 x 30" 660 x 762 x 762 mm
RO-SS-2424	Single-Bowl Sink, 24" X 24", Stainless Steel	48 lb - 22 kg	30 x 34 x 30" 762 x 864 x 762 mm
RO-SS-2424-L24	Single-Bowl Sink, 24" X 24", Left Drainboard, Stainless Steel	60 lb - 27 kg	54 x 40 x 30" 1372 x 1016 x 762 mm
RO-SS-2424-R24	Single-Bowl Sink, 24" X 24", Right Drainboard, Stainless Steel	60 lb - 27 kg	54 x 40 x 30" 1372 x 1016 x 762 mm
RO-SD-1818	Double-Bowl Sink, 18" X 18", Stainless Steel	52 lb - 24 kg	42 x 26 x 30" 1067 x 660 x 762 mm
RO-SD-1818-L18	Double-Bowl Sink, 18" X 18", Left Drainboard, Stainless Steel	58 lb - 26 kg	58 x 26 x 30" 1473 x 660 x 762 mm
RO-SD-1818-R18	Double-Bowl Sink, 18" X 18", Right Drainboard, Stainless Steel	58 lb - 26 kg	58 x 26 x 30" 1473 x 660 x 762 mm
RO-SD-1818-LR18	Double-Bowl Sink, 18" X 18", Right and Left Drainboards, Stainless Steel	74 lb - 34 kg	74 x 26 x 30" 1880 x 660 x 762 mm
RO-SD-2424	Double-Bowl Sink, 24" X 24", Stainless Steel	94 lb - 43 kg	54 x 40 x 30" 1372 x 1016 x 762 mm
RO-SD-2424-L24	Double-Bowl Sink, 24" X 24", Left Drainboard, Stainless Steel	101 lb - 46 kg	77 x 40 x 30" 1956 x 1016 x 762 mm
RO-SD-2424-R24	Double-Bowl Sink, 24" X 24", Right Drainboard, Stainless Steel	101 lb - 46 kg	77 x 40 x 30" 1956 x 1016 x 762 mm
RO-SD-2424-LR24	Double-Bowl Sink, 24" X 24", Right and Left Drainboards, Stainless Steel	120 lb - 54 kg	100 x 40 x 30" 2540 x 1016 x 762 mm
RO-ST-2424	Triple-Bowl Sink, 24" X 24", Stainless Steel	121 lb - 55 kg	80 x 40 x 30" 2032 x 1016 x 762 mm
RO-ST-2424-L	Triple-Bowl Sink, 24" X 24", Left Drainboard, Stainless Steel	149 lb - 68 kg	100 x 40 x 30" 2540 x 1016 x 762 mm
RO-ST-2424-R24	Triple-Bowl Sink, 24" X 24", Right Drainboard, Stainless Steel	149 lb - 68 kg	100 x 40 x 30" 2540 x 1016 x 762 mm
RO-ST-2424-LR24	Triple-Bowl Sink, 24" X 24", Right and Left Drainboards, Stainless Steel	161 lb - 73 kg	124 x 40 x 30" 3150 x 1016 x 762 mm
RO-WMHS	Wall Mounted Hand Sink with Faucet, Stainless Steel	9 lb - 4 kg	18 x 16½ x 14" 457 x 419 x 356 mm
RO-SDT-3630-L	Soiled Dish Table, 36" X 30", Left of Dishwasher, Stainless Steel	46 lb - 20,9 kg	38 x 33 x 15" 965 x 838 x 381 mm
RO-SDT-3630-R	Soiled Dish Table, 36" X 30", Right of Dishwasher, Stainless Steel	46 lb - 20,9 kg	38 x 33 x 15" 965 x 838 x 381 mm
RO-SDT-4830-L	Soiled Dish Table, 48" X 30", Left of Dishwasher, Stainless Steel	53 lb - 24 kg	50 x 33 x 15" 1270 x 838 x 381 mm
RO-SDT-4830-R	Soiled Dish Table, 48" X 30", Right of Dishwasher, Stainless Steel	53 lb - 24 kg	50 x 33 x 15" 1270 x 838 x 381 mm
RO-CDT-3630-L	Clean Dish Table, 36" X 30", Left of Dishwasher, Stainless Steel	40 lb - 18 kg	38 x 33 x 15" 965 x 838 x 381 mm
RO-CDT-3630-R	Clean Dish Table, 36" X 30", Right of Dishwasher, Stainless Steel	40 lb - 18 kg	38 x 33 x 15" 965 x 838 x 381 mm
RO-CDT-4830-L	Clean Dish Table, 48" X 30", Left of Dishwasher, Stainless Steel	51 lb - 23 kg	50 x 33 x 15" 1270 x 838 x 381 mm
RO-CDT-4830-R	Clean Dish Table, 48" X 30", Right of Dishwasher, Stainless Steel	51 lb - 23 kg	50 x 33 x 15" 1270 x 838 x 381 mm
RO-CDT-7230-L	Clean Dish Table, 72" X 30", Left of Dishwasher, Stainless Steel	69 lb - 31 kg	74 x 33 x 15" 1880 x 838 x 381 mm
RO-CDT-7230-R	Clean Dish Table, 72" X 30", Right of Dishwasher, Stainless Steel	69 lb - 31 kg	74 x 33 x 15" 1880 x 838 x 381 mm

MODELS	DESCRIPTION	PACKAGING WEIGHT	PACKAGING DIMENSIONS (W x D x H)
RO-HS24-C-CW-MET	Connected 24" Hand Wash Station, Cold Water, Metering Faucet	160 lb - 73 kg	38 x 38 x 64" 965 x 965 x 1626 mm
RO-HS24-C-CW-AUTO	Connected 24" Hand Wash Station, Hot Water, Metering Faucet	160 lb - 73 kg	38 x 38 x 64" 965 x 965 x 1626 mm
RO-HS24-C-HW-MET	Connected 24" Hand Wash Station, Cold Water, Automatic Faucet	160 lb - 73 kg	38 x 38 x 64" 965 x 965 x 1626 mm
RO-HS24-C-HW-AUTO	Connected 24" Hand Wash Station, Hot Water, Automatic Faucet	160 lb - 73 kg	38 x 38 x 64" 965 x 965 x 1626 mm
RO-HS24-A-CW-MET	Autonomous 24" Hand Wash Station, Cold Water, Metering Faucet	160 lb - 73 kg	38 x 38 x 64" 965 x 965 x 1626 mm
RO-HS24-A-CW-AUTO	Autonomous 24" Hand Wash Station, Cold Water, Automatic Faucet	160 lb - 73 kg	38 x 38 x 64" 965 x 965 x 1626 mm
RO-HS24-A-HW-MET	Autonomous 24" Hand Wash Station, Hot Water, Metering Faucet	160 lb - 73 kg	38 x 38 x 64" 965 x 965 x 1626 mm
RO-HS24-A-HW-AUTO	Autonomous 24" Hand Wash Station, Hot Water, Automatic Faucet	160 lb - 73 kg	38 x 38 x 64" 965 x 965 x 1626 mm
RO-ACC-SDT-BASKET	Perforated Basket 20" X 20" for Soiled Dish Table, Stainless steel	11 lb - 5 kg	22 x 20 x 4 1/2" 559 x 508 x 114 mm
RO-ACC-HS24-TD	Paper Towel Dispenser for Hand Wash Station	2 lb - 1 kg	10 x 5 x 7" 254 x 127 x 177 mm
RO-ACC-HS24-SD	Automatic Soap Dispenser with Support for Hand Wash Station	2 lb - 1 kg	5 x 5 x 7" 127 x 127 x 177 mm

WARRANTY

GENERALITIES

Rosko equipment is designed and certified for commercial use only. Rosko assumes no responsibility or liability of any kind for any part, labor, or component failure, or any property damage or personal injury resulting from a non-commercial installation or use, or for residential purposes, including risk of death.

Before placing a service call, the original purchaser must verify that the problem is not the result of an improper installation, insufficient power supply, incorrect setting, or wrong use. The costs incurred by these examples are not covered by this Limited Warranty and are at the sole expense of the customer.

WASHING EQUIPMENT AND FURNITURE

ONE (1) YEAR LIMITED WARRANTY ON PARTS AND LABOUR

Rosko warrants to the original purchaser that all new washing equipment and furniture will be free from defects in materials or workmanship, under normal use and proper preventive maintenance as recommended by Rosko, for a period of one (1) year from date of invoice or no later than 15 months from date of shipment, whichever comes first. Rosko will repair or replace the defective part with an equivalent or similar part according to the conditions and rates set by Rosko. Any warranty service requests must first be addressed to the Rosko Customer Service Department, which will issue a pre-authorization number, if applicable.

QUALITY ACCESSIBLE TO ALL

Rosko
JULIEN

1 866 901-5624
customerservice@rosko-julien.ca

955, rue Lachance, Québec (Québec)
Canada G1P 2H3

rosko-julien.ca

RO-CATALOG-WASHING
A-2022-05-01